

General Certificate of Conformance (GCC)

Pursuant to the Consumer Product Safety Improvement Act (CPSIA), manufacturers of imported or domestically manufactured (U.S.A.) prescription drug products that are subject to a consumer product safety rule, ban, standard or regulation enforced by the Consumer Product Safety Commission (CPSC), are required to provide General Certificates of Conformance (GCC).

Myovant Sciences manufactures prescription drug products that are governed under the CPSC regulations. The Myovant Sciences GCC certifies that the product (the child-resistant package) complies with the Poison Prevention Packaging Act (PPPA) requirements for special packaging under 16 CFR § 1700.

1. Identification of the product covered by this certificate:

Relugolix
120 mg, tablet
72974-120-01

2. Citation to each CPSC product safety regulation to which this product is being certified:

16 CFR 1700.14(a)(10) Substances requiring special packaging
16 CFR 1700.15 Poison prevention packaging standards
16 CFR 1700.20 Testing procedure for special packaging

3. Identification of the importer or domestic manufacturer certifying compliance of the product:

Myovant Sciences, Inc.
2000 Sierra Point Pkwy 9th floor,
Brisbane, CA 94005
833-696-8268

4. Contact information for the individual maintaining records of test results:

Myovant Sciences, Inc.
2000 Sierra Point Pkwy 9th floor,
Brisbane, CA 94005
833-696-8268
contractmanufacturing@myovant.com

5. Date and place where this product was manufactured:

Drug Plastics and Glass Company, Inc.
5576 S. Mohave Sage Dr.
Gold Canyon, AZ 85118

Test Id: DPG 08-01 February 11 - February 28, 2008 Closure Lot # 714270, Bottle Lot # 711534
Test Id: DPG 08-02 February 19 - March 10, 2008 Closure Lot # 714270, Bottle Lot # 617979
Test Id: DPG 08-01C February 15- March 14, 2008 Closure Lot # 714270, Bottle Lot # 711534
Test Id: DPG 08-02C February 25 - March 17, 2008 Closure Lot # 714270, Bottle Lot # 617979
Test Id: DPG11-12A October 19 - October 27 2011--- Closure Lot # 112872, Bottle Lot # 116354
Test Id: DPG 11-12C November 3- November 18 2011--- Closure Lot # 112872, Bottle Lot #
116354
Test Id: DPG 13-01A January 3, 2013 - January 22, 2013-- Closure Lot #215190, Bottle Lot
#216202
Test Id: DPG 13-01C January 16, 2013 - February 20, 2013-- Closure Lot # 215190, Bottle Lot #
216202
Test Id: DPG 14-04A May 6, 2014 - May 14, 2014---Closure Lot # 966377, Produced 10-13-2013
Bottle Lot # 403488 Produced 04-01-2014
Test Id: DPG 14-04C May 6, 2014 - May 14, 2014--- Closure Lot # 966377, Produced 10-13-2013
Bottle Lot # 403488 Produced 04-01-2014

6. Date and place where this product was tested:

Drug Plastics & Glass Co, Inc.
1 Bottle Drive
Boyertown, PA 19512 USA
Test Id: DPG 08-01C
February 15, 2008 -March 14, 2008
Test Id: DPG 08-02C
February 25, 2008 -March 17, 2008
Test Id: DPG 13-01CR
January 16,2013 - February 20, 2013
Test Id: DPG 13-01A
January 3,2013 – January 22, 2013

7. Identification of an third party laboratory on whose testing the certificate depends:

Bird Dog Marketing Group LLC
166 Farmington Lane, Lancaster, PA 17601 USA
Contact: Mark D. Perkins (717) 615 9022
David Hipple (717) 475 9751